

3.1 Chairs

- 3.1.1 Lounge Chairs
- 3.1.2 Task Chairs
- 3.1.3 Executive Chairs
- 3.1.4 Guest Chairs
- 3.1.5 Executive Guest Chairs
- 3.1.6 Exam Chairs
- 3.1.7 Training and Classroom Chairs
- 3.1.8 Dining Chairs
- 3.1.9 Procedure Stools
- 3.1.10 Lab Stools
- 3.1.11 Children's Chairs

3.2 Tables

- 3.2.1 Training and Classroom Tables
- 3.2.2 Dining Tables
- 3.2.3 Conference Tables
- 3.2.4 Occasional Tables
- 3.2.5 Children's Tables

3.3 Systems Products/Casegoods

- 3.3.1 Systems Product
- 3.3.2 Desking Systems/Conventional Office
- 3.3.3 Executive Office
- 3.3.4 Lateral Files

VOL. 2

PRODUCTS

SECTION 3

3.4 Storage and Lockers


3.4.1 Metal Lockers

3.4.2 Locker Bench

3.5 Specification Sheets

3.6 Manufacturer's Summary

3.1.1 Chairs - Lounge



Wood: Wieland
Color: Rustic on Maple



Seat/back: CF Stinson
Crypton "Curves Ahead" #C-61200-6
Color: Spin



Seat/back: CF Stinson
Crypton "Prestige" #C-61113-5
Color: Blue



Wood: Nemschoff
Color: #12 Light Cherry on Maple



Seat/ back: Designtex
"Drawing Straws"
Color: #TO2393-402 Cream Soda



Seat/back: Designtex
"Bossa Nova"
Color: #TO2655-401 Fiord



Wood: Carolina
Color: Carmel on Maple



Seat/back: Fantagraph
Crypton "Pinehurst"
Color: #CW554001 Navy



Seat/back: Designtex
Crypton "Hara"
Color: #TO2669-902 Mixed Berry

3.1.1 Specification Guidelines for Lounge Chairs

Manufacturer: Wieland/Sauder

JSN#: F0305

GSA#: GS-28F-1079C

Style: Arris

Size: 23.5" w x 26" d x 31.25" h

Warranty: 25 Years

Recommendations: Slim, transitional design, works well in modular configurations. For use in Lounges and Waiting Areas with high use and constant change.

Manufacturer: Nemschoff

JSN#: F0305

GSA#: GS-28F-2116D

Style: Cities Small-Uptown (with open arms)

Size: 24.25" w x 24" d x 33" h

Warranty: Lifetime

Recommendations: Appropriate for heavy use Waiting and Lounge Areas. Removable seat and back covers makes replacement and maintenance simple

Manufacturer: Carolina

JSN#: F0305

GSA#: GS-28F-2069D

Style: Whitney Chair Modular

Size: 24." w x 34.5" d x 32.5" h

Warranty: 10 years

Recommendations: Slim, transitional design, works well in modular configurations. For use in Lounges and Waiting Areas with high use and constant change.

Arms • Open with wood cap arm.
• All parts to be removable for ease of maintenance.

Base • Fixed straight legs, sled base not recommended.
• Glides are recommended to prevent permanent marks on flooring.

Seat • Seat width should be a minimum width of 23" to a maximum of 30", seat depth should be a minimum depth of 24" to a maximum of 30".
• Recommended seat height should be 17.5"-18" from the floor.
• Fixed cushion recommended.
• Easily disassembled for repairs and recovery kits available for fabric replacement.
• "Clean Out Space" between seat and back.

Back • Overall back height should be at least 30" from the floor.

Fabric • Select from the manufacturer's standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton) and needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength
ASTM D-4034 Resistance to Yarn Slippage
ASTM D-2262 Tongue Tearing Strength
ASTM D-3597 Shrinkage or Growth
ASTMD-4157 Wyzenbeck Abrasion Resistance
California Technical Bulletin #117 or #133 for Flammability

• Fabrics with moisture barriers are highly recommended.

Finish • Select from manufacturer's standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.


3.1.2 Chairs - Task



Frame: Herman
Miller "G1"
Color: Graphite



Seat/back: HM
"Pellicle"
Color: Carbon #3D01




Frame: Herman
Miller "G1"
Color: Graphite



Optional Back:
HM "Latitude"
Color: Graphite
#8M01



Seat: HM
"AirWeave"
Color: Graphite
#3Q11



Frame: Allseating
Color: Black



Seat/back: Momentum
"Bravo"
Color: Night
#09064383HWA



Seat/back: Momentum
"Hue"
Color: Frothe
09063338HWA

3.1.2 Specification Guidelines for Task Chairs

Arms • Padded adjustable arm.

Base • Five star base recommended.
• Darker finish colors are recommended for bases.
• Carpet casters recommended.

Seat • Seat width should be a minimum width of 20" to a maximum of 30"; seat depth should be a minimum depth of 20" to a maximum of 30".
• Adjustable seat height with a minimum of 18"-20" from the floor.

Back • Overall back height should be at least 40" from the floor.

Fabric • Select from the manufacturer's standard fabrics; should consist of heavy-duty stain-resistant fabric and needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength
ASTM D-4034 Resistance to Yarn Slippage
ASTM D-2262 Tongue Tearing Strength
ASTM D-3597 Shrinkage or Growth
ASTM D-4157 Wyzenbeek Abrasion Resistance
California Technical Bulletin #117 or #133 for Flammability

Finish • Select from manufacturer's standard finishes which coordinate with surrounding finishes and are resistant to scuffing.

Manufacturer: Herman Miller

JSN#: F0275

GSA#: GS-28F-8049H

Style: Aeron

Size: 20.25"w x 20.25"d x 44"h

Warranty: 12 Years

Recommendations: Appropriate for where ergonomics is major requirement in Administrative or Management in Office Spaces.

Manufacturer: Herman Miller

JSN#: F0275

GSA#: GS-28F-8049H

Style: Mirra

Size: 27"w x 17"d x 43"h

Warranty: 12 Years

Recommendations: Appropriate for where ergonomics is major requirement in Administrative or Management/Executive Office Spaces.

Manufacturer: Allseating

JSN#: F0275

GSA#: GS-29F-0144C

Style: Therapod Therapist 5000

Size: 21."w x 17.5"d x 44"h

Warranty: 10 years

Recommendations: Appropriate for when ergonomics is major in administrative/management areas in Office Spaces.

3.1.3 Chairs - Executive



Wood: OFS
Color: Natural
Cherry on Cherry



Seat/back: Momentum
"Bravo"
Color: Mica #09064383HWA



Frame : OFS
Color: Black
Polyurethane base



Seat/back: Maharam
"Shimmy" #BD460650
Color: #06 Lupin



Wood: Krug
Color: Natural Cherry



Seat/back: Krug
"Chenille"
Color: #7030 Smoke

3.1.3 Specification Guidelines for Executive Chairs

- Arms** • Wood or padded adjustable arm.
- Base** • Five star base recommended.
 - Darker finish colors are recommended for bases.
 - Carpet casters recommended.
- Seat** • Seat width should be a minimum width of 20" to a maximum of 30", seat depth should be a minimum depth of 20" to a maximum of 30".
 - Adjustable seat height with a minimum of 18"-20" from the floor.
- Back** • Overall back height should be approximately 40" from the floor.
- Fabric** • Select from the manufacturer's standard fabrics, should consist of heavy-duty stain-resistant fabric and needs to comply with applicable fire tests and the following performance criteria:
 - ASTM D-5034 Grab Strength
 - ASTM D-4034 Resistance to Yarn Slippage
 - ASTM D-2262 Tongue Tearing Strength
 - ASTM D-3597 Shrinkage or Growth
 - ASTM D-4157 Wyzenbeck Abrasion Resistance
 - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer's standard finishes which coordinate with surrounding finishes and are resistant to scuffing.

Manufacturer: OFS

JSN#: F0245

GSA#: GS-29F-0304H

Style: Berkshire

Size: 25.75"w x 30"d x 47.5"h

Warranty: 12 Years

Recommendations: Appropriate for Management and Executive Office Spaces.

Manufacturer: OFS

JSN#: F0245

GSA#: GS-29F-0304H

Style: Milano High Back

Size: 26"w x 28.5"d x 39"h

Warranty: Lifetime

Options: Solid wood base caps upgrade available

Recommendations: Appropriate for Management and Executive Office Spaces.

Manufacturer: Krug

JSN#: F0245

GSA#: GS-28F-2100D

Style: Sierra High Back

Size: 23"w x 28"d x 45"h

Warranty: 10 years

Recommendations: Appropriate for Management and Executive Office Spaces.

3.1.4 Chairs - Guest



Wood: OFS
Color: Natural
Cherry on Cherry



Seat/back: Momentum
Crypton "Smart Suede"
#09058201HWA
Color: Jam



Seat/back: Momentum
Crypton "Frolic"
#09054252HWA
Color: Creek



Frame:
Gunlocke
Color: Black



Seat/back:
Momentum "Hue"
#09063338HWA
Color: Aspen



Seat/back: Momentum
Vinyl "Mercury"
#09034870HWA
Color: Larkspur



Frame: Fixtures
Color: Black



Seat/back: Fixtures
"Crete" Vinyl
Color: Steel Blue



Seat/back: Momentum
Crypton "Hugs & Kisses"
Color: Night

3.1.4 Specification Guidelines for Guest Chairs

Manufacturer: OFS

JSN#: F0205

GSA#: GS-29F-0304H

Style: Paragon

Size: 23.25" w x 23.75" d x 32.25" h

Warranty: 12 Years

Recommendations: Appropriate for guest seating in Office Spaces

Manufacturer: Gunlocke

JSN#: F0205

GSA#: GS-28F-2151D

Style: Contura

Size: 23" w x 24" d x 33 3/8" h

Warranty: 12 Years

Recommendations: Appropriate for guest seating in Office Spaces

Manufacturer: Fixtures

JSN#: F0205

GSA#: GS-29F-5234A

Style: Patience


Size: 27" w x 26.5" d x 34.5" h

Warranty: 10 years


Recommendations: Appropriate for guest seating in Office Spaces

- Arms** •
 - Open arm.
 - Manufacturer's standard finish.
- Base** •
 - Fixed straight legs.
 - Glides are recommended to prevent permanent marks on flooring.
- Seat** •
 - Seat width should be a minimum width of 16" to a maximum of 30", seat depth should be a minimum depth of 16" to a maximum of 24".
 - Recommended seat height should be 17.5" to 18" from the floor.
 - Fixed cushion recommended.
- Back** •
 - Overall back height should be at least 30" from the floor.
- Fabric** •
 - Select from the manufacturer's standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:
 - ASTM D-5034 Grab Strength
 - ASTM D-4034 Resistance to Yarn Slippage
 - ASTM D-2262 Tongue Tearing Strength
 - ASTM D-3597 Shrinkage or Growth
 - ASTM D-4157 Wyzenbeek Abrasion Resistance
 - California Technical Bulletin #117 or #133 for Flammability
- Finish** •
 - Select from manufacturer's standard finishes which coordinate with surrounding finishes and are resistant to scuffing.


3.1.5 Chairs - Executive Guest




Wood: OFS
Color: Natural
Cherry on Cherry




Seat/back: Momentum
"Niche" #09062865
Color: Raisin



Wood: OFS
Color: Natural Cherry
on Cherry



Seat/back: Maharam
"Contact" #BD464140
Color: #003 Gravel



Wood: Krug
Color: Natural Cherry



Seat/back: Krug
"Backgammon"
Color: #49 Persian

3.1.5 Specification Guidelines for Exec Guest Chairs

Manufacturer: OFS

JSN#: F0235

GSA#: GS-29F-0304H

Style: Berkshire Guest

Size: 26"w x 26.5"d x 40"h

Warranty: Lifetime

Recommendations: Appropriate for guest seating in Executive Office Spaces.

Manufacturer: OFS

JSN#: F0235

GSA#: GS-29F-0304H

Style: Prelude Open Arm Guest

Size: 23"w x 26"d x 33.5"h

Warranty: Lifetime

Recommendations: Appropriate for guest seating in Executive Office Spaces.

Manufacturer: Krug

JSN#: F0235

GSA#: GS-28F-2100D

Style: Sierra Guest

Size: 23"w x 24"d x 35"h

Warranty: 10 years


Recommendations: Appropriate for guest seating in Executive Office Spaces.

- Arms** • Open arm.
 - Manufacturer's standard finish.
- Base** • Fixed straight legs.
 - Glides are recommended to prevent permanent marks on flooring.
- Seat** • Seat width should be a minimum width of 16" to a maximum of 30"; seat depth should be a minimum depth of 16" to a maximum of 24".
 - Recommended seat height should be 17.5" to 18" from the floor.
 - Fixed cushion recommended.
- Back** • Overall back height should be at least 30" from the floor.
- Fabric** • Select from the manufacturer's standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:
 - ASTM D-5034 Grab Strength
 - ASTM D-4034 Resistance to Yarn Slippage
 - ASTM D-2262 Tongue Tearing Strength
 - ASTM D-3597 Shrinkage or Growth
 - ASTM D-4157 Wyzenbeek Abrasion Resistance
 - California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer's standard finishes which coordinate with surrounding finishes and are resistant to scuffing.


3.1.6 Chairs - Exam



Frame: Herman
Miller metal
Color: Black BK



Seat: HM
"Flexnet" #6V01
Color: Black



Back: HM
Chair Shell
Color: Black BK



Frame: GF
Color: Black
#V1D



Seat: GF Vinyl
Color: Navy #AB6H



Back: GF T4H
Color: Navy



Frame: Fixtures
Color: Black



Seat/back: Fixtures
"Crete" Vinyl
Color: Steel Blue



Seat/back: Momentum
Crypton "Hugs & Kisses"
Color: Night

3.1.6 Specification Guidelines for Exam Chairs

Manufacturer: Herman Miller

JSN#: F0205

GSA#: GS-28F-8049H

Style: Caper

Size: 24.24”w x 19”d x 32”h

Warranty: 12 Years

Recommendations: Appropriate for exam room guest seating in clinical spaces.

Manufacturer: GF

JSN#: F0205

GSA#: GS-28F-2054D

Style: 40/4GSD74646

Size: 24”w x 17.5”d x 30”h

Warranty: 5 Years

Recommendations: Appropriate for guest seating in clinical spaces.

Manufacturer: Fixtures

JSN#: F0205

GSA#: GS-29F-5234A

Style: Patience

Size: 27”w x 26.5”d x 34.5”h

Warranty: 10 years

Recommendations: Appropriate for guest seating in Office and Clinical spaces.

- Arms** •
 - Open arm.
 - Manufacturer’s standard finish.
- Base** •
 - Fixed straight legs.
 - Glides are recommended to prevent permanent marks on flooring.
- Seat** •
 - Seat width should be a minimum width of 16” to a maximum of 30”, seat depth should be a minimum depth of 16” to a maximum of 24”.
 - Recommended seat height should be 17.5” to 18” from the floor.
 - Fixed cushion recommended.
- Back** •
 - Overall back height should be at least 30” from the floor.
- Fabric** •
 - Select from the manufacturer’s standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:
 - ASTM D-5034 Grab Strength
 - ASTM D-4034 Resistance to Yarn Slippage
 - ASTM D-2262 Tongue Tearing Strength
 - ASTM D-3597 Shrinkage or Growth
 - ASTM D-4157 Wyzenbeek Abrasion Resistance
 - California Technical Bulletin #117 or #133 for Flammability
- Finish** •
 - Select from manufacturer’s standard finishes which coordinate with surrounding finishes and are resistant to scuffing.


3.1.7 Chairs - Training and Classroom



Frame: Fixtures
Color: Charcoal




Seat/back:
Momentum Vinyl
"Olympus HWA"
Color: Sapphire



Seat/back:
Fixtures Crypton
"Busybody"
Color: Patio



Tablet Arm:
Fixtures Laminate
Color: Pewter



Frame: Fixtures
Color: Black




Seat/back:
Fixtures
"Crete" Vinyl
Color: Steel Blue



Seat/back: Fixtures
thermoplastic Shell
Color: Blue




Tablet Arm:
Fixtures
laminate
Color: Black



Frame: All
Seating metal
Color: Black



Seat/back: All
Seating "Cashmere"
Color: Yacht



Seat/back: All
Seating "Network"
Color: Midnight



Tablet Arm: All
Seating laminate
Color: Black

3.1.7 Specification Guidelines for Training and Classroom Chairs

Manufacturer: Fixtures

JSN#: F0200

GSA#: GS-29F-2007D

Style: Allure Flip Up Tablet

Size: 25" w x 29" d x 39" h

Warranty: 10 Years

Recommendations: Appropriate for smaller Training Rooms or Multi-purpose Rooms that do not use training tables.

Manufacturer: Fixtures

JSN#: F0200

GSA#: GS-28F-2007D

Style: Bola Flip-Up Tablet Chair

Size: 27" w x 28" d x 35" h

Warranty: 10 Years

Recommendations: Appropriate for smaller Training Rooms or Multi-purpose Rooms that do not use training tables.

Manufacturer: Allseating

JSN#: F0200

GSA#: GS-29F-0144C

Style: Rainbow w/Tablet Arm

Size: 25" w x 28" d x 33.5" h

Warranty: 10 years

Recommendations: Appropriate for classroom seating with recommended training tables.

- Arms** • Open metal arm.
• Optional laminate writing tablet arm.
- Base** • Fixed straight legs; sled base not recommended.
• Glides are recommended to prevent permanent marks on flooring.
- Seat** • Seat width should be a minimum width of 19" to a maximum of 30", seat depth should be a minimum depth of 20" to a maximum of 24".
• Recommended seat height should be 17.5"-18" from the floor.
• Fixed cushion recommended.
• Easily disassembled for repairs and recovery kits available for fabric replacement.
- Back** • Overall back height should be at least 30" from the floor.
- Fabric** • Select from the manufacturer's standard fabrics; these healthcare textiles should consist of heavy-duty stain-resistant fabric (such as Crypton), or vinyl, and needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength
ASTM D-4034 Resistance to Yarn Slippage
ASTM D-2262 Tongue Tearing Strength
ASTM D-3597 Shrinkage or Growth
ASTMD-4157 Wyzenbeek Abrasion Resistance
California Technical Bulletin #117 or #133 for Flammability
- Finish** • Select from manufacturer's standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.

3.1.8 Chairs - Dining



Wood:
Lowenstein
Color: Honey Oak



Seat/back:
Maharam Crypton
"Shimmy" #BD460650
Color: #008 Midnight



Seat/back: Maharam
Crypton "Intertwine"
#BD460080
Color: #008 Ink



Wood:
Nemschoff
Color: #12 Light
Cherry on Maple



Seat/back:
CF Stinson
"Metro" #CRY402
Color : Marina



Seat/back:
Nemschoff
Vinyl #CFTK70-3
Color : Midnight Blue



Frame:
Gunlocke
Color: Black



Seat/back:
Momentum "Hue"
#09063338HWA
Color: Aspen



Seat/back: Momentum
Vinyl "Mercury"
#09034870HWA
Color: Larkspur

3.1.8 Specification Guidelines for Dining Chairs

Manufacturer: Lowenstein

JSN#: F0225

GSA#: GS-28F-0003L

Style: Murano Chair

Size: 23.5" w x 22" d x 34.5" h

Warranty: 12 Years

Recommendations: Appropriate for all dining applications. Available in armless and stool version

Manufacturer: Nemschoff

JSN#: F0225

GSA#: GS-27F-2035B

Style: 40 Chair

Size: 18" w x 22" d x 36.5" h

Warranty: 5 Years

Recommendations: Appropriate for all dining applications

Manufacturer: Gunlocke

JSN#: F0225

GSA#: GS-28F-2151D

Style: Contura

Size: 23" w x 24" d x 33 3/8" h

Warranty: 12 Years

Recommendations: Appropriate for all dining applications

Arms • Open metal arm or armless.

Base • Fixed straight legs; sled base not recommended.

Seat • Seat width should be a minimum width of 16" to a maximum of 30", seat depth should be a minimum depth of 16" to a maximum of 30".

- Maximum seat height should be 18-20" from the floor.
- Fixed cushion recommended.
- Easily disassembled for repairs and recovery kits available for fabric replacement.

Back • Overall back height should be at least 30" from the floor.

Fabric • Select from the manufacturer's standard fabrics; should consist of heavy-duty stain-resistant fabric such as Crypton, solution-dyed nylon, or polyester, and needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength

ASTM D-4034 Resistance to Yarn Slippage

ASTM D-2262 Tongue Tearing Strength

ASTM D-3597 Shrinkage or Growth

ASTM D-4157 Wyzenbeek Abrasion Resistance

California Technical Bulletin #117 or #133 for Flammability

Finish • Select from manufacturer's standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffs and smudges.

3.1.9 Chairs - Procedure Stools



Seat: Cramer Vinyl
Color: Blue



Seat: Midmark Vinyl
Color: Waterford



Seat: Midmark Vinyl
Color: Iris Blue

Manufacturer: Cramer**JSN#:** F0340**GSA#:** GS-28F-7017G**Style:** SA52 Intermediate Height Stool**Size:** 24.25"d x 21"-28.5"h**Warranty:** 10 years**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.**Manufacturer:** Midmark**JSN#:** F0340**GSA#:** V-797P4090A**Style:** 425 Air Lift Physician Stool**Size:** 17"d x 17.75"-23.75"h**Warranty:** 1 year**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.**Manufacturer:** Midmark**JSN#:** F0340**GSA#:** V-797P4090A**Style:** Ritter 123 Physician Stool**Size:** 16"d x 16.5"-24.5"h**Warranty:** 1 year**Recommendations:** Appropriate for Exam Rooms and Emergency Rooms.**3.1.9 Specification Guidelines for Procedure Stools****Arms •** Not Applicable.**Base •** Casters are recommended for hard surface flooring and ease of movement.

Seat • Seat diameter should be a minimum of 16" with a 30" maximum.

- Maximum seat height should be 16.5"-24.5" from the floor.
- Fixed cushion recommended.

Back • Not Applicable.

Fabric • Select from the manufacturer's standard fabrics, should consist of heavy-duty stain-resistant vinyl. Needs to comply with applicable fire tests and the following performance criteria:

ASTM D-5034 Grab Strength
 ASTM D-4034 Resistance to Yarn Slippage
 ASTM D-2262 Tongue Tearing Strength
 ASTM D-3597 Shrinkage or Growth
 ASTM D-4157 Wyzenbeek Abrasion Resistance
 California Technical Bulletin #117 or #133 for Flammability

Finish • Select from manufacturer's finishes which coordinate with surrounding finishes and are resistant to scuffing.

3.1.10 Chairs – Lab Stools



Seat/back: HM Vinyl
ColorGuard #3P02
Color: Navy



Seat/back: Cramer
Vinyl #W68
Color: Dark Blue

3.1.10 Specification Guidelines for Lab Stools

Manufacturer: Herman Miller

JSN#: F0230

GSA#: GS-28F-8049H

Style: Equa 2 Stool without Arms

Size: 25.5" w x 15.75" d x 36.5" h

Warranty: 12 years

Recommendations: Appropriate for Labs and Pharmacies.

Manufacturer: Cramer

JSN#: F0230

GSA#: GS-28F-7017G

Style: Triton Intermediate Height

Size: 28" w x 19.5" d x 46.5" h

Warranty: 15 years

Recommendations: Appropriate for Labs and Pharmacies.

- Arms • Not recommended.
- Base • Casters are recommended for hard surface flooring.
 - Footrest to be 15.75"-28" in diameter.
- Seat • Seat width should be minimum width of 23" to a maximum of 30", seat depth should be a minimum depth of 15".
 - Recommended seat height should be 24"-34" from the floor.
 - Fixed cushion recommended.
- Back • Overall height of back should be at least 17"-19.5" from the seat.
- Fabric • Select from the manufacturer's standard vinyl. Needs to comply with following performance criteria:
 - ASTM D-5034 Grab Strength
 - ASTM D-4034 Resistance to Yarn Slippage
 - ASTM D-2262 Tongue Tearing Strength
 - ASTM D-3597 Shrinkage or Growth
 - ASTM D-4157 Wyzenbeek Abrasion Resistance
 - California Technical Bulletin #117 or #133 for Flammability
- Finish • Select from manufacturer's standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.


3.1.11 Chairs - Children's



Laminate: Playscapes
Color: Gray Speckle



Wood: Community
Playthings
Color: Maple



Frame: Fixtures
Color: #W42 Beige
Epoxy



Seat/back: Fixtures
Vinyl "Crete"
Color: Steel Blue

3.1.11 Specification Guidelines for Children's Chairs

Manufacturer: Playscapes

JSN#: F0215

GSA#: GS-07F-0286J

Style: Circle of Friends

Size: 14.5"w x 14.5"d x 23"h

Warranty: 2 year

Recommendations: Appropriate for Emergency, General Waiting Areas and Pediatric Waiting Areas.

Manufacturer: Community Playthings

JSN#: F0215

GSA#: GS-28F-7004G

Style: Woodcrest Chair

Size: Varies depending upon age group

Warranty: 1 year

Recommendations: Appropriate for Waiting Areas and Pediatric Waiting Areas.

Manufacturer: Fixtures

JSN#: F0215

GSA#: GS-29F-2007D

Style: Baby Bola

Size: 18"w x 19"d x 21.5"h

Warranty: Lifetime

Recommendations: Appropriate for Waiting Areas and Pediatric Waiting Areas.

Arms • Not Applicable.

Base • Stable, non-tipping base recommended.

Seat • Various options available or as described under Size/ Dimensions and dependent upon the age of the child.

Back • Various back heights available.

Fabric • Vinyl.

Finish • Select from manufacturer's standard wood or metal finishes which coordinate with surrounding finishes and are resistant to scuffing.

Note • For children's table options see pages 38-39.

3.2.1 Tables – Training and Classroom




Laminate: KI
#LWC
Color: Wild Cherry



Laminate: KI
Wilsonart #4590-60
Color: Grey Millstone




Laminate: Spec
Formica #5904
Color: Wild Cherry



Laminate: Spec
Formica #7267
Color: Concrete Stone



Laminate: Fixtures
Formica #5904
Color: Wild Cherry



Laminate: Fixtures
Formica #7267
Color: Concrete Stone

Manufacturer: KI
JSN#: F0780
GSA#: GS-28F-8022H
Style: Barron Folding Leg and Flip-Top Table with Modesty Panel
Size: 60"-96"w x 18"-30"d
Finishes: Solid, patterned and wood laminate/ self-edge, PVC or vinyl bullnose edge styles
Warranty: Lifetime
Options: Folding modesty panel
Recommendations: Inexpensive table used for training with or without computers.

Manufacturer: Spec Tables
JSN#: F0780
GSA#: GS-29F-0146C
Style: Conductor Series tables
Finishes : Solid, patterned and wood laminate , wood veneer
Warranty: Lifetime, 2 Years for finishes
Recommendations: Good for any type of set-up and configuration needed because of the variety of shapes and sizes.

Manufacturer: Fixtures
JSN#: F0780
GSA#: GS-29F-2007D
Style: Encore
Size: 60"-72"w x 18"-36"d
Finishes: Solid, patterned wood and wood laminate, wood veneer
Warranty: 14 months
Options: Multiple shaped tables linking connectors, caster/glide option, flip-top
Recommendations: Appropriate for Waiting Areas and Pediatric Waiting Areas.

3.2.1 Specification Guidelines for Training and Classroom Tables

- Top**
- Table depth of 24"-30" is important for tables to accommodate computer monitors.
 - Table width of 60" is recommended for accommodating two people.
 - Rectangular tops have the most flexibility.
 - Grommets and wire management are recommended for computer-based training.
 - Provide kneespace of at least 30" wide x 19" deep x 28" high per person.

- Edge**
- Square edge recommended for tables used in modular configurations.
 - Edge color should coordinate with top color.
 - PVC vinyl edging is most durable.

- Base**
- Use leveling device on bottom of base to compensate for uneven flooring.
 - Folding bases may be necessary if storage and space management is needed.
 - Use dark finishes to hide scuff marks and dirt.


- Wire Management**
- Use surge protector power source. Accommodate wiring needs by providing floor outlets.
 - Consult table manufacturer on power capacities and requirements.

- General**
- Table dolly recommended for transport of tables.
 - Use "ganging" devices for multiple connections of tables.
 - Use neutral colors when trying to match existing tables.


3.2.2 Tables - Dining



Laminate: KI
#LWC
Color: Wild Cherry



Laminate: KI
#LAH
Color: Heathertone



Laminate: Spec
Formica #5904
Color: Wild Cherry



Laminate: Spec
Formica #7267
Color: Concrete Stone



Laminate: Fixtures
Formica #7484
Color: Cherry Birch



Cast Resin Edge:
Fixtures
Color: Navy



Cast Iron Base:
Fixtures
Color: Black

3.2.2 Specification Guidelines for Dining Tables

Manufacturer: KI

JSN#: F0785

GSA#: GS-28F-8022H

Style: Venue Series

Warranty: Lifetime

Options: Accent Strips, variety of table edges.

Recommendations: Appropriate for staff or public dining areas, breakrooms, and small meeting areas.

Manufacturer: Lowenstein

JSN#: F0755

GSA#: GS-28F-0003L

Style: Sea Base table with solid top

Finishes : Solid, patterned and wood laminate , wood veneer

Warranty: 1 Year

Recommendations: Appropriate for public dining areas, breakrooms and small meeting areas.

Manufacturer: Fixtures

JSN#: F0785

GSA#: GS-29F-2007D

Style: General Tables w/resin drip guard edge.

Warranty: 10 Years

Recommendations: Appropriate for public dining areas, breakrooms and small meeting areas.

- Top**
- Tabletop height should be 30" from the tabletop to the floor.
 - The use of plastic laminate surface is highly resistant to burns, scratches and impact.
 - Square and rectangular tops have the most flexibility.

- Edge**
- Square edge recommended for tables used in modular configurations.
 - Edge color should coordinate with top color.
 - PVC vinyl edging is most durable.


- Base**
- Base support should not interfere with full capacity seating.
 - Folding bases may be necessary if storage and space management is needed.
 - Use dark finishes to hide scuff marks and dirt.

- Wire Management**
- Not Applicable.

- General**
- Table dolly recommended for transport of tables.
 - Use "ganging" devices for multiple connections of tables.
 - Use neutral colors when trying to match existing tables.
- ASTM D-4157 Wyzenbeek Abrasion Resistance
California Technical Bulletin #117 or #133 for Flammability

- Handicap height adjustable tables (manual or motorized) and 32" fixed tables can be ordered to meet all handicap requirements. Handicap stickers can also be ordered to designate these areas.


3.2.3 Tables - Conference




Wood: Nevers
Color: Amber Cherry



Laminate: Nevers
Wilsonart #7919-38
Color: Amber Cherry




Wood: OFS
Color: Natural
Cherry on Cherry



Laminate: OFS
Color: Light Cherry



Wood: Krug
Color: Natural Cherry



Laminate: Krug
Wilsonart #1077-307
Color: Legacy Cherry

Manufacturer: Nevers**ISN#:** F0755**GSA#:** GS-28F-2052D**Style:** Americana**Size:** Varies**Warranty:** 10 years**Recommendations:** Appropriate for Staff, Management and Executive Conference Rooms.**Manufacturer:** OFS**ISN#:** F0755**GSA#:** GS-29F-0304H**Style:** Conference Room Collection- top with panel base**Size:** Varies**Warranty:** 10 years**Recommendations:** Appropriate for Staff, Management and Executive Conference Rooms.**Manufacturer:** Krug**ISN#:** F0755**GSA#:** GS-28F-2100D**Style:** Millennium**Size:** Varies**Warranty:** 10 years**Recommendations:** Appropriate for Management and Executive Conference Rooms.**3.2.3 Specification Guidelines for Conference Tables**

- Top**
- Tabletop height of 30" from the floor is standard height.
 - Seating capacity is based on a 23" wide chair plus 4" allowance between chairs; when working with a wider chair, the space should be adjusted accordingly.
 - Rectangular tops have the most flexibility.

- Edge**
- Waterfall edge recommended for comfort.

- Base**
- Base supports should not interfere with full capacity seating around table.
 - Use dark finishes to hide scuff marks and dirt.


- Wire Management**
- Use surge protector power source. Accommodate wiring needs by providing floor outlets.
 - Consult table manufacturer on power capacities and requirements.
 - Optional voice/data modulars available.

- General**
- When very large tables are required, consider the route of delivery into the building (i.e. door opening and elevator size).
 - All finishes in the Conference Rooms should coordinate.

3.2.4 Tables - Occasional




Wood: Wieland
Color: Rustic on Maple



Laminate Top:
Wieland Formica #7215
Color: Earthen Terra



Wood: Nemschoff
Color: #12 Light Cherry on Maple



Laminate Top:
Wilsonart, Wild Cherry #7054-60



Wood: Carolina
Color: Carmel on Maple

3.2.4 Specification Guidelines for Occasional Tables

Manufacturer: Wieland/Sauder

JSN#: F0725

GSA#: GS-28F-1079C

Style: Arris

Size: Varies

Warranty: 25 Years

Recommendations: Appropriate for larger Waiting Areas, Lobbies, Reception Areas and Command Suites.

Manufacturer: Nemschoff

JSN#: F0725

GSA#: GS-28F-2116D

Style: Cities Series Table

Size: Varies

Warranty: Lifetime

Recommendations: Appropriate for larger Waiting Areas, Lobbies, Reception Areas and Command Suites.

Manufacturer: Carolina

JSN#: F0275

GSA#: GS-28F-2069D

Style: Series 612 Talos Table

Size: Varies

Warranty: 10 years

Recommendations: Appropriate for larger Waiting Areas, Lobbies, Reception Areas and Command Suites.

- Top**
- Occasional tables are to be used in larger public areas and should not interrupt traffic flow.
 - Laminate tops with wood frames are recommended.
 - Limit use of tables.
 - Coffee tables not recommended.

- Edge**
- Varies.

- Base**
- Fixed straight legs.
 - Avoid using tables on glides for safety reasons.

- Wire**
- Not Applicable.

Management

- General**
- Select from manufacturer's standard wood or laminate finishes which coordinate with surrounding finishes and are resistant to scuffing.
 - Finishes should be consistent throughout the space.

3.2.5 Tables – Children's



Laminate Top:
Playscapes
Color: Grey Speckle



Laminate Edge:
Playscapes #D341-60
Color: Marigold




Wood: Community
Playthings
Color: Maple



Laminate Top:
Community Playthings
Color: Woodgrain



Laminate Top: Fixtures
Wilsonart #2902-60
Color: Chargrey Suede



Laminate Edge:
Fixtures
Color: Navy

3.2.5 Specification Guidelines for Children's Tables

Manufacturer: Playscapes

JSN#: F0760

GSA#: GS-07F-0286J

Style: Circle of Friends

Size: 30"w x 30"d x 19"h

Warranty: 2 years

Recommendations: Appropriate in Pediatrics Waiting, Waiting Areas and in Emergency Waiting Areas. When possible, small tables and chairs should be off to the side or in an alcove still visible from Main Waiting Area.

Manufacturer: Community Playthings

JSN#: F0760

GSA#: GS-28F-7004G

Style: Round Classroom Table with wooden legs

Size: Varies depending upon age group

Warranty: 1 year

Recommendations: Appropriate in Pediatrics Waiting, Waiting Areas and in Emergency Waiting Areas. When possible, small table and chairs should be off to the side or in an alcove still visible from Main Waiting Area.

Manufacturer: Fixtures

JSN#: F0760

GSA#: GS-29F-2007D

Style: Bola For Children

Size: Varies depending upon age group

Warranty: 3 years

Recommendations: Appropriate for Waiting Areas and Pediatric Waiting Areas and in Emergency Waiting areas. When possible, small table and chairs to be off to the side or in an alcove still visible from the Main Waiting Area.

Top • Laminate top.

Edge • Varies.

Base • Fixed wide straight legs are recommended to prevent tipping.
• Height of table varies depending on the age group.

Wire Management • Not Applicable.

General • Select from manufacturer's standard wood or laminate finishes which coordinate with surrounding finishes and are resistant to scuffs and smudges.

3.3.1 Systems Product – Action Office 2



3.3.1 Systems Product – Action Office 2



Cardamom #7X
Pattern



Inner Tone Light
HF Solid

Worksurface Laminates
(choose one)



Aggregate Foxglove
#5E01



Resonance
Porcelain #5T05

Panel Fabrics
(choose one)




Woodgrain Laminate
Mahogany LM

Worksurface Laminates
(upgrade)




ColorGuard Vinyl
Pumice #3P33
(For Clinical Use)



Infusion Tint
#5B01
(For Admin. Use)

Flipper Door Fabrics
(may choose two)




Medium Tone
MT finish



Inner Tone Light
HF Finish

Trim
(choose both)



Infusion Tint
#5B01



Rapunzel Castle
#6001

Tackboard Fabrics
(choose one)

3.3.1 Specification Guidelines Systems Product Action Office 2

Manufacturer: Herman Miller- Action Office 2 (IMMSS)
IMMSS Contract #: W91DY-05-D-0005
Style: Worksurface Laminates (choose one) and Workstation Freestanding Panels (choose one)
Recommendations: Appropriate in Administrative/Clerical Areas with larger staffing requirements and high levels of noise; filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

Manufacturer: Herman Miller- Action Office 2 (IMMSS)
Style: Worksurface Laminates (upgrade) and Flipper door fabrics (may choose two)
Recommendations: Appropriate in Administrative/Clerical Areas for receptionist or assistant. Filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

Manufacturer: Herman Miller- Action Office 2 (IMMSS)
Style: Trim (choose both) and Tackboards (choose one)
Recommendations: Appropriate in Administrative/Clerical Areas with private office with smaller staffing requirements. Filing and overhead storage should be added depending on user-task. Walls must meet structural requirements before hanging product.

Panels

Panel Height to be a maximum of 67" or 85"
 Acoustical panels should be used in large spaces with multiple stations.
 Varied panel heights and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.
 Available in hard surface, fabric, acoustical, & open frame
 Limit the number of sizes and finishes for greater flexibility.

Connectors/ Base

Dark finish recommended to hide scuffing.
 Electrified base option recommended for clustered workstations.
 Hinged base cover helps ease of maintenance.
 Action Office base carries power and has 4-circuit receptacle componetry (1 dedicated circuit).
 Data lines can be run through base and attached to outside of base
 Single workstations to have non-powered base and utilize open frame panels next to wall, if possible.

Overhead Storage

Flipper doors used for closed/locked storage and can become shelf if door is removed.
 Shelves come 15" wide and 8.5" high with side panels to allow for maximum vertical storage flexibility.
 Shelves can be angled for display purposes.
 Task lighting is available.
 Limit the number of sizes and finishes for greater flexibility.

Work Surfaces

Square and radius edge corner options.
 Height adjustable integral keyboard tray option.
 Freestanding and panel hung glare-free surfaces.
 Grommets/cable management/power options.
 Limit the number of sizes and finishes for greater flexibility.

Accessories Check manufacturer's literature

3.3.1 Systems Product – Ethospace



Cardamom #7X
Pattern



Inner Tone Light
HF Solid

Worksurface Laminates
(choose one)




Aggregate Foxglove
#5E01



Resonance
Porcelain #5T05

Panel Fabrics
(choose one)




Woodgrain Laminate
Mahogany LM

Worksurface Laminates
(upgrade)




ColorGuard Vinyl
Pumice #3P33
(For Clinical Use)



Infusion Tint
#5B01
(For Admin. Use)

Flipper Door Fabrics
(may choose two)




Medium Tone
MT finish




Inner Tone Light
HF Finish

Trim
(choose both)



Infusion Tint
#5B01



Rapunzel Castle
#6001

Tackboard Fabrics
(choose one)

3.3.1 Specification Guidelines Systems Product Ethospace

Panels

Panel Height to be a maximum of 70" or 86"
Acoustical tiles are used in open spaces with several stations
Varied panel heights and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.
Available in hard surface, fabric, acoustical, wrapcoat tiles and open frame.
Limit the number of sizes and finishes for greater flexibility

Connectors/ Base

Dark finish recommended to hide scuffing.
Electrified base option recommended for clustered workstations
Hinged base cover helps ease of maintenance.
Action Office base carries power and has 4-circuit receptacle componetry (1 dedicated circuit).
Data lines can be run through base and attached to outside of base
Single workstations to have non-powered base and utilize open frame tiles, when possible.

Overhead Storage

Flipper doors used for closed/locked storage and can become shelf if door is removed.
Shelves come 15" wide and 8.5" high with side panels to allow for maximum vertical storage flexibility.
Shelves can be angled for display purposes.
Task lighting is available.
Limit the number of sizes and finishes for greater flexibility.

Work Surfaces

Square and radius edge corner options.
Height adjustable integral keyboard tray option.
Freestanding and panel hung glare-free surfaces.
Grommets/cable management/power options.
Limit the number of sizes and finishes for greater flexibility.

Accessories Check manufacturer's literature

Manufacturer: Herman Miller-Ethospace (IMMSS)
IMMSS Contract #: W91DY-05-D-0005
Style: Worksurface Laminates (choose one) and Workstation Freestanding Panels (may choose two)
Warranty: 12 years
Recommendations: Appropriate in Administrative/Clerical Areas/Nurses Stations with larger staffing requirements and high levels of noise; filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

Manufacturer: Herman Miller-Ethospace (IMMSS)
Style: Worksurface Laminates (upgrade) and Flipper door fabrics (may choose two)
Recommendations: Appropriate in Administrative/Clerical Areas/Nurses Stations for receptionist or assistant. Filing and overhead storage should be added depending on user-task. Corner surfaces better for computer intensive work, L-shaped surfaces better for all other types of work.

Manufacturer: Herman Miller-Ethospace (IMMSS)
Style: Trim (choose both) and Tackboards (choose one)
Recommendations: Appropriate in Administrative/Clerical Areas/Nurses Stations requiring private office with smaller staffing. Filing and overhead storage should be added depending on user-task. Walls must meet structural requirements before hanging product.

3.3.1 Systems Product – Co/Struc



Inner Tone Light HF
(general use Trim)

Frames/Modules



Solid Laminate
Inner Tone Light HF

Worksurface Laminates



Inner Tone Light HF
(also to be used as Trim)

A/B/C Drawers



LU Soft White



LU Soft White

Accessories

3.3.1 Specification Guidelines Systems Product Co/Struc

Manufacturer: Herman Miller- Co/Struc (IMMSS)

IMMSS Contract #: W91DY-05-D-0005

Style: Co/Struc Frames/Modules and Co/Struc Worksurfaces

Warranty: 12 years

Recommendations: Appropriate in Labs, Pharmacy's and Clinical Areas. Versatile, interchangeable components can be combined in different ways and reconfigured to meet new requirements.

Manufacturer: Herman Miller-Co/Struc (IMMSS)

Style: A/B/C Drawer & Trim

Recommendations: Appropriate in Labs, Pharmacy's and Clinical Areas for drawer front and trim color selections.

Manufacturer: Herman Miller-Co/Struc (IMMSS)

Style: Accessories

Recommendations: Appropriate in Labs, Pharmacy's and Clinical Areas where organization is essential.

Panels

Panel Height to be a maximum of 80"

Varied panel heights of 48" & 80" and finishes enhance the appearance and provide visual interest while accommodating the need for privacy.

Panels available in hard surface and open frame.

Limit the number of sizes and finishes for greater flexibility.

Connectors/ Base

Use same finish as panels for connectors.

CoStruc carries power thru a wire chase and has 4-circuit receptacle componentry (1 dedicated circuit).

Overhead Storage

Flipper doors used for closed/locked storage and can become shelf if door is removed.

Shelves come 15" and 8.5" high with side panels to allow for maximum vertical storage flexibility.

Shelves can be angled for display purposes.

Task lighting is available.

Limit the number of sizes and finishes for greater flexibility.

Work Surfaces

Square edge is only option.

Height adjustable integral keyboard tray option.

Freestanding and panel hung glare-free surfaces.

Wire Chase option available for electrical.

Limit the number of sizes and finishes for greater flexibility.

Accessories

Check manufacturer's literature.

3.3.2 Desking System – Conventional Office



Panel Fabrics



Aggregate Foxglove
#5E01




Resonance Porcelain
#5T05

Flipper Door Fabrics



ColorGuard Vinyl
Pumice #3P33




Infusion Tint
#5B01


Worksurface Laminates



Fiber, Cardamom
#7X



Solid, Inner Tone
Light HF




Woodgrain,
Mahogany LM
(Upgrade)

Trim




Medium Tone MT
(panel base Trim)



Inner Tone Light HF
(general use Trim)

Tackboard Fabrics



Infusion Tint
#5B01



Rapunzel Castle
#6001

3.3.2 Specification Guidelines for Desking Systems Conventional

Manufacturer: Herman Miller Passage

JSN# Varies depending on product

GSA#: GS-28F-8049H

Style: Passage

Warranty: 12 Years

Recommendations: Appropriate in Management or Private Office Space. Working surface to be equipped with power grommets for power/data/voice to ease power access.


Note: Passage is not available on IMMSS

- Office Furniture** • All furniture should be the same in finish and style.
- The office size and function should be taken into consideration when selecting furnishings to assure that they are appropriate for the space.


- Typical Office** • The following furnishings are recommended for Conventional Offices:
- Bookcase
 - Desk
 - Credenza with Hutch
 - Worksurface Return
 - Guest and Executive Chairs

- Finish** • Select from manufacturer's standard laminate finishes which coordinate with surrounding finishes.

3.3.3 Casegoods – Executive Office



Wood: OFS
Color: Natural
Cherry on Cherry



Wood: OFS
Color: Natural
Cherry on Cherry



Wood: Krug
Color: Natural Cherry

3.3.3 Specification Guidelines for Executive Office

- Office Furniture • All furniture should be the same in finish and style.
 - The office size and function should be taken into consideration when selecting furnishings to assure that they are appropriate for the space.
- Typical Office • The following furnishings are recommended for Conventional Offices:
 - Bookcase
 - Desk
 - Credenza with Hutch
 - Worksurface Return
 - Guest and Executive Chairs
- Finish • Select from manufacturer's standard wood finishes which coordinate with surrounding finishes.

Manufacturer: OFS

JSN#: Varies depending on product

GSA#: GS-29F-0304H

Style: Classic Collection

Warranty: 10 Years

Recommendations: Appropriate in Management or Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

Manufacturer: OFS

JSN#: Varies depending on product

GSA#: GS-29F-0304H

Style: Praxis Collection

Warranty: 10 Years

Recommendations: Appropriate in Management or Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

Manufacturer: Krug

JSN#: Varies depending on product


GSA#: GS-28F-2100D

Style: Millennium Collection

Warranty: 10 Years

Recommendations: Appropriate in Management or Executive Office Spaces. Working surface to be equipped with power grommets for power/data/voice to ease power access.

3.3.4 Filing – Lateral Files



Finish: Spacesaver
Color: MG Medium Grey



Finish: Herman Miller
Color: HF
Inner Tone Light



Finish: Office
Specialty #S0345
Color: #053 Moonstone

3.3.4 Specification Guidelines for Lateral Files

Manufacturer: Spacesaver

JSN#: F0415

GSA#: GS-28F-1003C

Style: ActivStor

Warranty: 10 Years

Recommendations: Appropriate for Patient Records, Admissions, Offices and Laboratory environments.

- Cabinet** • Counterbalance weights are recommended for 3-drawer lateral files and up.
- Cabinet depths range from 15" to 20".
 - Lateral files typically have 2 to 5 drawers and hold either letter or legal size files and widths of 26.5" to 42".
 - Overall height of a 5 drawer cabinet generally measures 57" to 61".

- Testing** • Lateral Files must be in accordance with the ANSI/BIFMA X 5.2-1980 Tests for Lateral Files evaluating the safety, durability, and structural qualities for freestanding lateral files.

- Finish** • Select from manufacturer's standard metal finishes which coordinate with surrounding finishes.

Manufacturer: Herman Miller

JSN#: F0415

GSA#: GS-28F-8049H

Style: Meridian 2600 Series

Size: 18"d x 30"w x 55.25"h

Warranty: 12 Years

Recommendations: Appropriate for Patient Records, Admissions, Offices and Laboratory environments.

Manufacturer: Office Specialty

JSN#: F0415

GSA#: GS-28F-0008J

Style: 8900 Plus

Size: 18"d x 30"w x 61"h


Warranty: 10 Years

Recommendations: Appropriate for Patient Records, Admissions, Office and Laboratory environments.


3.4.1 Metal Lockers



Finish: Penco Products
Color: #073 Champagne



Finish: Republic Locker
Color: #81 Alabaster



Finish: Lyon Lockers
Color: Putty (PP)

3.4.1 Specification Guidelines for Metal Lockers

Construction

- Double Tier lockers feature solid metal doors, with recessed handle that will accept combination or padlock
- Constructed of prime grade mild cold rolled sheet steel free from surface imperfection, and capable of taking a high grade enamel finish.
- 2" standard hinges
- Horizontal cross members between tiers
- Locker interiors to be same paint color and finish as exterior frames and doors
- One piece door required
- 6" legs with snap in front base recommended
- Sloped tops required (unit sloped tops recommended)
- Each Locker opening includes a number plate

Dimensions

- Each frame measures 12"W x 18"D x 72"H
- Each opening measures 12"W x 18"D x 36"H

Finish

- Finish coat shall be electrostatically-applied powder coat enamel paint
- Resists chipping

Installation

- Recommended that all lockers are anchored to floor or wall

Manufacturer: Penco Lockers

JSN#: A1030

GSA#: GS-27F-5064C

Style: Vanguard with Solid Doors and recessed handles

Size: 18"d x 12"w x 72"H

Warranty: 1 Year

Recommendations: Appropriate for personal item storage in breakrooms, locker rooms and staff areas.

Manufacturer: Republic Lockers

JSN#: A1030

GSA#:

Style: Standard or Quiet Series

Size: 18"d x 12"w x 72"h

Warranty: 1 Year

Recommendations: Appropriate for personal item storage in breakrooms, locker rooms and staff areas.

Manufacturer: Lyon Lockers

JSN#: A1030

GSA#: GS-27F-0012M

Style: Designer Line Lockers

Size: 18"d x 12"w x 72"h

Warranty: 1 Year

Recommendations: Appropriate for personal item storage in breakrooms, locker rooms and staff areas.

3.4.2 Locker Benches



Wood: Penco
Products
Color: Maple



Painted Metal:
Penco Products
Color: #073
Champagne



Wood: Republic
Storage Products
Color: Maple



Painted Metal: Republic
Storage Products
Color: #81 Alabaster



Wood: Lyon
Lockers
Color: Maple



Painted Metal:
Lyon Lockers
Color: Putty (PP)

3.4.2 Specification Guidelines for Locker Benches

Construction

- Bench top is exceptionally strong, made from selected hardwood and finished with a clear lacquer
- Bench pedestals feature either stainless steel freestanding bench support or heavy duty pedestal, which is anchored to the floor.

Dimensions

- Bench top measures 9.5" d x 1/25" thick; lengths vary
- Bench supports measure 16.25" H

Finish

- Clear lacquer coat on hardwood bench
- Stainless steel finish for freestanding pedestals, or electrostatically-applied powder coat paint on steel anchored pedestals
- Finish of anchored pedestal base to match locker color

Installation

- Heavy-duty pedestals must be anchored to floor
- Freestanding pedestals have holes punched in the bottom for optional anchoring to floor

Manufacturer: Penco Lockers

JSN#: A5020

GSA#: GS-27F-5064C

Style: Locker Bench and recessed handles

Size: 9.5" d x 17.5" H, length varies

Warranty: 1 Year

Recommendations: Appropriate for use with personal lockers in breakrooms, locker rooms and staff areas.

Manufacturer: Republic Lockers

JSN#: A5020

GSA#:

Style: Locker Bench

Size: 9.5" d x 17.5" H, length varies

Warranty: 1 Year

Recommendations: Appropriate for use with personal lockers in breakrooms, locker rooms and staff areas.

Manufacturer: Lyon Lockers

JSN#: A5020

GSA#: GS-27F-0012M

Style: Locker Bench

Size: 9.5" d x 17.5" H, length varies

Warranty: 1 Year

Recommendations: Appropriate for use with personal lockers in breakrooms, locker rooms and staff areas.

3.5 Specification Sheet

JSN#: F0305
Chair, Waiting Room Single, Open Arm

GSA Contract #: GS-28F-1079C
Expiration Date: 04.30.06
FSC Group Number: 71, Part I, Office Furniture
MOL: \$ 200,000


Source: ImaginOffice

Manufacturer: Wieland/Sauder Healthcare
Description: Arris Single Seating Series, Armchair,
(Tables and Two Seat Units w/center arm also available)
Product Number: 37411 Series
Wood Finish: Rustic on Maple
Upholstery: CF Stinson Woven Crypton
Style Name/Number: Prestige #C-61113-5
Color: Blue

Location: All Waiting Areas

Unit Price: \$450.00 ea

Dimensions: 23.5"w x 26"d x 31.25"h



Wood: Wieland
Color: Rustic on
Maple



Seat/back: CF Stinson
Crypton "Prestige"
#C-61113-5
Color: Blue

3.6 Manufacturer's Summary**CHAIRS****Lounge Chairs**

Carolina Business Furniture, LLC
 Contact: Andy Anderson p.205.991.0881 x 230
 P.O. Box 4398
 Archdale, NC 27263
 p. 800.763.0212 f. 336.431.9511
<http://www.carolinabusinessfurniture.com>

Nemschoff
 Contact: Lisa Mitchell p.850.475.7867
 P.O. Box 129
 Sheboygan, WI 53082-0129
 p 800.203.8916 f. 920.459.1234
<http://www.nemschoff.com>

Wieland/Sauder Healthcare
 Contact: Aparna Ray Falgoust p. 504.451.3499
 13737 N. Main Street
 Grabill, IN 46741
 p. 888.943.5263 f. 260.627.6496
<http://www.wielandhealthcare.com>

Task Chairs

Herman Miller, Inc.
 Government Customer Care 0161
 855 East Maine Avenue
 Zeeland, MI 49464
 p. 877.464.4681 f. 616.654.5749
<http://www.hermanmiller.com>

CHAIRS**Task Chairs**

Allseating Corporation
 Contact: Andy Anderson p.205.991.0881 x230
 175 Britannia Road East, Unit 4
 Mississauga, Ontario L4Z 4B8
 p. 800.563.3502 f. 800.272.9911
<http://www.allseating.com>

Executive Chairs & Guest Chairs

Krug Furniture, Inc.
 Contact: Bill Edwards p. 850.682.6038
 421 Manitou Drive
 Kitchener, Ontario, Canada, N2C 1L5
 p. 888.578.5784 f. 800.265.2798
<http://www.krug.ca>

OFS
 Contact: Andy Anderson p.205.991.0881 x 230
 P.O. Box 100, 431 Fourth Street
 Huntingburg, IN 47542
 p. 800.521.5381, x7235 f. 812.683.7256
<http://www.ofs.com>

Guest Chairs

OFS
 Contact: Andy Anderson p.205.991.0881 x 230
 P.O. Box 100, 431 Fourth Street
 Huntingburg, IN 47542
 p. 800.521.5381, x7235 f. 812.683.7256
<http://www.ofs.com>

3.6 Manufacturer's Summary

CHAIRS

Guest Chairs

The Gunlocke Company
Contact: Sam Moore p. 205.251.4020
One Gunlocke Drive
Wayland, New York 14572
p. 800.828.6300 f. 585.728.8350
<http://www.gunlocke.com>

Fixtures Furniture
Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

Exam Chairs

Fixtures Furniture
Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

GF Furniture
Contact: Dana Helton p. 251.660.7117
Proposal #GSD74646
6655 Seville Drive
Canfield, OH 44406
p. 330.533.7799 f. 330.533.8255
<http://www.gfoffice.com>

CHAIRS

Exam Chairs

Herman Miller, Inc.
Government Customer Care 0161
855 East Maine Avenue
Zeeland, MI 49464
p. 877.464.4681 f. 616.654.5749
<http://www.hermanmiller.com>

Training and Classroom Chairs

Fixtures Furniture
Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

Allseating Corporation
Contact: Andy Anderson p.205.991.0881 x230
175 Britannia Road East, Unit 4
Mississauga, Ontario L4Z 4B8
p. 800.563.3502 f. 800.272.9911
<http://www.allseating.com>

Dining Chairs

The Gunlocke Company
Contact: Sam Moore p. 205.251.4020
One Gunlocke Drive
Wayland, New York 14572
p. 800.828.6300 f. 585.728.8350
<http://www.gunlocke.com>

3.6 Manufacturer's Summary

CHAIRS

Dining Chairs

Lowenstein, Inc.
 Contact: Andy Anderson p. 205.991.0881 x 230
 1801 N. Andrews Avenue
 Pompano Beach, FL 33069-1490
 p. 954.960.1100 f. 954.960.0409
 Contact: Andy Anderson
<http://www.lowensteininc.com>

Nemschoff
 Contact: Lisa Mitchell p.850.475.7867
 P.O. Box 129
 Sheboygan, WI 53082-0129
 p 800.203.8916 f. 920.459.1234
<http://www.nemschoff.com>

Procedure Stools

Cramer, Inc.
 Contact: Lisa Mitchell p.850.479.7867
 1222 Quebec Street
 North Kansas City, MO 64116
 p. 800.366.6700 f. 800.607.2821
<http://www.cramerinc.com>

Midmark Corporation
 Contact: Dave Cantwell p.800.633.0508 x2166
 60 Vista Drive
 P.O. Box 286
 Versailles, OH 45380-0286
 p. 800.643.6275 f. 800.365.2499
<http://www.midmark.com>

CHAIRS

Lab Chairs

Cramer, Inc.
 Contact: Lisa Mitchell p.850.479.7867
 1222 Quebec Street
 North Kansas City, MO 64116
 p. 800.366.6700 f. 800.607.2821
<http://www.cramerinc.com>

Herman Miller, Inc.
 Government Customer Care 0161
 855 East Maine Avenue
 Zeeland, MI 49464
 p. 877.464.4681 f. 616.654.5749
<http://www.hermanmiller.com>

Children's Chairs

Community Playthings
 359 Gibson Hill Road
 Chester, NY 10918-2321
 p. 800.777.4244 f. 800.336.5948
<http://www.communityplaythings.com>

Playscapes, Inc.
 2600 Daniels Street
 Madison, WI 53718-6771
 p. 800.248.7529 f. 608.222.8100
<http://www.playscapes.com>

Fixtures Furniture
 Contact: ACI (Norman Morrison)
 4600 Powder Mill Rd.
 Beltsville, MD 20743
 p. 800.821.3500 f. 816.245.5884
 1642 Crystal Avenue
 Kansas City, MO 64126
<http://www.fixturesfurniture.com>

3.6 Manufacturer's Summary

TABLES

TABLES

Training and Classroom Tables

Fixtures Furniture

Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

KI

Contact: Dana Baldrige p. 850.995.8888
1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
p. 800.424.2432 f. 800.405.2264
<http://www.ki.com>

Spec Furniture

Contact: Dick Hutchinson p. 601.856.2299
65 Courtland Avenue
Concord Ontario, Canada L4K 3T1
p. 888.761.7732 f. 905.761.8100
<http://www.specfurniture.com>

Dining Tables

Fixtures Furniture

Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

Dining Tables

KI

Contact: Dana Baldrige p. 850.995.8888
1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
p. 800.424.2432 f. 800.405.2264
<http://www.ki.com>

Spec Furniture

Contact: Dick Hutchinson p. 601.856.2299
65 Courtland Avenue
Concord Ontario, Canada L4K 3T1
p. 888.761.7732 f. 905.761.8100
<http://www.specfurniture.com>

Conference Tables

Nevers Industries, Inc.

Contact: Mike Ergos p. 404.367.0400
14125 21st Avenue North
Minneapolis, MN 55447
p. 800.242.2443 f. 800.258.5591
<http://www.nevers.com>

OFS

Contact: Andy Anderson p. 205.991.0881 x 230
P.O. Box 100, 431 Fourth Street
Huntingburg, IN 47542
p. 800.521.5381, x7235 f. 812.683.7256
<http://www.ofs.com>

3.6 Manufacturer's Summary

TABLES

TABLES

Conference Tables

Krug Furniture, Inc.
Contact: Bill Edwards p. 850.682.6038
421 Manitou Drive
Kitchener, Ontario, Canada, N2C 1L5
p. 888.578.5784 f. 800.265.2798
<http://www.krug.ca>

Occasional Tables

Carolina Business Furniture, LLC
Contact: Andy Anderson p.205.991.0881 x 230
P.O. Box 4398
Archdale, NC 27263
p. 800.763.0212 f. 336.431.9511
<http://www.carolinabusinessfurniture.com>

Nemschoff
Contact: Lisa Mitchell p.850.475.7867
P.O. Box 129
Sheboygan, WI 53082-0129
p 800.203.8916 f. 920.459.1234
<http://www.nemschoff.com>

Wieland/Sauder
Contact: Aparna Ray Falgoust p. 504.451.3499
13737 N. Main Street
Grabill, IN 46741
p. 888.943.5263 f. 260.627.6496
<http://www.wielandfurniture.com>

Children's Tables

Community Playthings
359 Gibson Hill Road
Chester, NY 10918-2321
p. 800.777.4244 f. 800.336.5948
<http://www.communityplaythings.com>

Playscapes, Inc.
2600 Daniels Street
Madison, WI 53718-6771
p. 800.248.7529 f. 608.222.8100
<http://www.playscapes.com>

Fixtures Furniture
Contact: ACI (Norman Morrison)
4600 Powder Mill Rd.
Beltsville, MD 20743
p. 800.821.3500 f. 816.245.5884
1642 Crystal Avenue
Kansas City, MO 64126
<http://www.fixturesfurniture.com>

3.6 Manufacturer's Summary

SYSTEMS PRODUCT/CASEGOODS

SYSTEMS PRODUCT/CASEGOODS

Systems Product/Desking & Conventional

Herman Miller, Inc.
Government Customer Care 0161
855 East Maine Avenue
Zeeland, MI 49464
p. 877.464.4681 f. 616.654.5749
<http://www.hermanmiller.com>

Executive Casegoods

Krug Furniture, Inc.
Contact: Bill Edwards p. 850.682.6038
421 Manitou Drive
Kitchener, Ontario, Canada, N2C 1L5
p. 888.578.5784 f. 800.265.2798
<http://www.krug.ca>

OFS
Contact: Andy Anderson p.205.991.0881 x 230
P.O. Box 100, 431 Fourth Street
Huntingburg, IN 47542
p. 800.521.5381, x7235 f. 812.683.7256
<http://www.ofs.com>

Lateral Files

Herman Miller, Inc.
Government Customer Care 0161
855 East Maine Avenue
Zeeland, MI 49464
p. 877.464.4681 f. 616.654.5749
<http://www.hermanmiller.com>

Office Specialty
Contact: Andy Anderson p. 205.991.0881 x230
67 Toll Road
Holland Landing, Ontario, Canada L9N1H2
p. 416.675.4572 f. 877.870.0034
<http://www.officespecialty.com>

Spacesaver
Contact: Walter Hopkins Corp p. 850.939.4349
1450 Janesville Avenue
Fort Atkinson, Wisconsin 53538-2798
p. 800.492.3434 f. 920.563.2702
<http://www.spacesaver.com>

3.6 Manufacturer's Summary

STORAGE AND LOCKERS

Metal Lockers and Benches

Lyon Workspace Products
P.O. Box 671
Aurora, IL 60507-0671
p. 630.892.8941 f. 800.367.6681
p. 800.433.8488
<http://www.lyonworkspace.com>

Penco Products
Contact: Penny Leatherman p. 800.441.5352 x6069
99 Brower Avenue
Oaks, PA 19456-0378
p. 800.562.1000 f. 800.248.1555
<http://www.pencoproducts.com>

Republic Storage Systems
Contact: Bob Savage
1038 Belden Ave. NE
Canton, OH 44705
p. 800.477.1255 f. 330.454.7772
<http://www.republicstorage.com>